



Craft Board Form®	6	
Craft Weathered Plank™	8	
Craft Brick	12	
Craft Paintgrade Brick™	12	
Craft Paintgrade Block™	12	
Craft Urban Strip	14	
Craft Urban Kings	14	
Craft Urban Rectangle	14	
Craft Urban Squares	14	
Craft Flamed Rectangle	15	
Craft Chiseled Rectangle	16	
Craft Carved Rectangle	17	
Craft Split Modular	18	
Craft Chop Ledge	22	
TIMELESS MASONRY VENEE	R	
Craft Orchard Limestone		28
Craft Peak Ledge		30
Craft Trail Ledge		31
Craft Foothill Rubble		32
Craft Farmhouse Ledge		34
Craft Broken Rubble		36
MIXOLOGY 37		



ARCHITECTURAL TRIM





MODERN Craft Paintgrade Block (unpainted)






ALPACA Craft Orchard Limestone



WHITEGOLD Craft Orchard Limestone




WHITEGOLD Craft Orchard Limestone



SYCAMORE Craft Board Form

CRAFT BOARD FORM®



FLATS:



CRAFT WEATHERED PLANK™



Barrelstave Craft Weathered Plank™



Milkpaint Craft Weathered Plank™

FLATS: | 3 SIZES High | 2.5" 5.0" 7.5" Long | 18"-22" 20"-24" 20"-30" Avg. | 1.0"



Redbarn Craft Weathered Plank™



Greenfield Craft Weathered Plank™



Blueskye Craft Weathered Plank™







Ghosted Craft Cannery Brick




Mink Craft Warehouse Brick



Brewery Craft Paintgrade Brick™




Modern Craft Paintgrade Block™



Peppered Craft Cannery Brick



Raincloud Craft Warehouse Brick



Loft Craft Paintgrade Brick™

CANNERY BRICK FLATS:

igh 2.625"-2.75" ong 7.25"-7.5" vg. 0.625" hickness

CORNERS:

High 2.5"-2.75" Long Return 7.25"-7.5" Short Return 3.0"-3.5"

WAREHOUSE BRICK FLATS:

High 2.25" Long 9.4375" - 9.5" Avg. 0.75" Thickness

CORNERS:

High 2.5" Long Return 9.5" Short Return 3.0"

BREWERY PAINTGRADE BRICK FLATS: CORNERS:

High 2.375"-3.0" Long 7.75"-8.375" Avg., 0.625"

High 2.5"-2.75" Long Return 7.75" - 8.2 Short Return 3.25"-4.0

LOFT PAINTGRADE BRICK FLATS: CORNERS: 8.25"-8.75" MODERN PAINTGRADE BLOCK FLATS: CORNERS: High 3.625" Long Return 11.625" Short Return 3.625" **NOTE:** Craft Paintgrade Brick & Block ships unpainted. If left unpainted, inconsistent surface coloration will be visible.

DID YOU KNOW

Paintgrade
Brick &
Block
Ships
Unpainted
So You
Can
Choose
Your
Favorite

Color!





Sandollar Craft Urban Rectangle

14



Sandollar Craft Urban Squares



Sandollar Craft Urban Strip




Winterfall Craft Urban Rectangle



Winterfall Craft Urban Squares



Winterfall Craft Urban Strip



FLAMED RECTANGLE FLATS: 10"



Bisque Craft Flamed Rectangle



Bluestone Craft Flamed Rectangle



Mist Craft Flamed Rectangle







Bluestone Craft Carved Rectangle



CHISELED RECTANGLE FLATS: | 10" High

10" Long Return

CORNERS: 10" High

FLATS: | 10" High CORNERS: 10" High

CARVED RECTANGLE

10" Long Return




Knapsack Craft Chiseled Rectangle



Biscuit Craft Chiseled Rectangle



Knapsack Craft Carved Rectangle



Biscuit Craft Carved Rectangle



Bison Craft Split Modular



Fogbank Craft Split Modular





DIFFERENT STONE HEIGHTS
CREATE DISTINCT LOOKS.
Craft Split Modular is designed

Craft Split Modular is designed to maximize modularity and installation ease with 2.5" and 5" pieces boxed separately. Order in any combination you desire.

FAR LEFT: 2.5" height

LEFT: 5.0" height

ALL OTHER: 50/50 blend of sizes



Greentea Craft Split Modular



Lunar Craft Split Modular



Greypearl Craft Split Modular

Blacktruffle Craft Split Modular

Friarcloth Craft Split Modular



Mountainlion Craft Split Modular



Nirvana Craft Split Modular



Shadowplay Craft Split Modular



Tortoiseshell Craft Split Modular



Powder Craft Split Modular



Rustbelt Craft Split Modular



Timberwolf Craft Split Modular



Twine Craft Split Modular













Flint Craft Chop Ledge


Muddywaters Craft Chop Ledge



Seapearl Craft Chop Ledge

Lighthouse Craft Chop Ledge

FLATS:	6.0" 8.0"-20" 1.125"	High Long Avg. Thickness
CORNERS	5: 6.0" 7.625"-11.625" 3.5"	High Long Return Short Return







Bison Craft Orchard Limestone





Greypearl Craft Orchard Limestone

Whitegold Craft Orchard Limestone



Alpaca Craft Orchard Limestone





Timberwolf Craft Orchard Limestone



4.0"-13" High 6.625"-22.875" Long 1.625" Avg. Thickness FLATS: **CORNERS:** 4.375"-10"

7.25"-13.125" Long Return 2.875"-6.125" Short Return



Blacktruffle Craft Orchard Limestone



Tortoiseshell Craft Orchard Limestone



Bison Craft Peak Ledge



Fogbank Craft Peak Ledge



Mountainlion Craft Peak Ledge



Tortoiseshell Craft Peak Ledge

Timberwolf Craft Peak Ledge

CORNERS: 1.0"-4.125" High 5.125"-12.625" Long Return 3.125"-5.875" Short Return



Blacktruffle Craft Peak Ledge





Greypearl Craft Peak Ledge



Shadowplay Craft Peak Ledge





Blacktruffle Craft Trail Ledge



Greentea Craft Trail Ledge



Greypearl Craft Trail Ledge



Shadowplay Craft Trail Ledge



Bison Craft Trail Ledge



Fogbank Craft Trail Ledge



Mountainlion Craft Trail Ledge



Timberwolf Craft Trail Ledge

Tortoiseshell Craft Trail Ledge

FLATS:	1.125"-5.5" 4.625"-20.875" 1.4375"	Hig Lor Avg



Bison Craft Foothill Rubble



Blacktruffle Craft Foothill Rubble



Coyote Craft Foothill Rubble



Fogbank Craft Foothill Rubble



CRAFT FOOTHILL RUBBLE



Greypearl Craft Foothill Rubble



Shadowplay Craft Foothill Rubble



Toasted Craft Foothill Rubble



Tortoiseshell Craft Foothill Rubble

Greentea Craft Foothill Rubble

FLATS:	1.875"-13.25" 4.25"-16.25" 1.5"	High Long Avg. Thickn
CORNERS	5: 2.5"- 15" 5.25"-12.5"	High I ona Returi





Bison Craft Farmhouse Ledge



Toasted Craft Farmhouse Ledge



Blacktruffle Craft Farmhouse Ledge



Coyote Craft Farmhouse Ledge





Greentea Craft Farmhouse Ledge





Greypearl Craft Farmhouse Ledge



Shadowplay Craft Farmhouse Ledge





Timberwolf Craft Broken Rubble



FLATS:	2.5"-13" 5.0"-20.25" 1.25"	High Long Avg. Thickness
COPNED	5. 2 5" 1/ 75"	Uiah

Long Return Short Return

Whalebone Craft Broken Rubble



Brownsugar Craft Broken Rubble



MIX AND MASH. BLEND IT. SHAPE IT. Create your own signature recipe. Creative Mines has the provisions to sate any discerning palette. We provide the ingredients. You provide the gusto. What you soon realize is how well we infuse nature's brilliance in all our profile colorways so that pairings are balanced and connected. Choose any of a number of colorways and profiles and mix virtually any concoction you can imagine. YOU'RE THE MIXOLOGIST.


Craft Weathered Plank SINGLE PROFILE / FIVE COLORWAYS

Equal Parts Greenfield, Blueskye, Redbarn, Milkpaint and Barrelstave Craft Weathered Plank



2 Parts Greypearl Craft Farmhouse Ledge to 1 Part Greypearl Craft Trail Ledge Greypearl Craft Farmhouse Ledge

Timberwolf Craft Peak Ledge SINGLE PROFILE / DOUBLE COLORWAY



Mountainlion Craft Peak Ledge

2 Parts Timberwolf to 1 Part Mountainlion Craft Peak Ledge

SINGLE PROFILE / DOUBLE COLORWAY



2 Parts Tortoiseshell to 1 Part Timberwolf Craft Peak Ledge

Greentea Craft Peak Ledge




Bison Craft Orchard Limestone

4 Parts Greentea Craft Peak Ledge to 1 Part Bison Craft Orchard Limestone

SINGLE PROFILE / DOUBLE COLORWAY



Mountainlion Craft Peak Ledge



2 Parts Mountainlion to 1 Part Bison Craft Peak Ledge

Bison Craft Peak Ledge

Greypearl Craft Peak Ledge



SINGLE PROFILE / DOUBLE COLORWAY


Greentea Craft Peak Ledge

2 Parts Greypearl to 1 Part Greentea Craft Peak Ledge

DOUBLE PROFILE / DOUBLE COLORWAY



Equal Parts Blacktruffle Craft Peak Ledge and Greypearl Craft Trail Ledge Blacktruffle Craft Peak Ledge



ARCHITECTURAL TRIM

2 TEXTURES

Our Architectural Trim components enrich the stone and masonry veneer we make. Each piece is crafted with consummate respect for their historic tradition. The Flamed texture reproduces the surface of torched stone and Dressed — so named, because it combines a variety of textural techniques — has a refined, cultivated appearance.

DRESSED TEXTURE

HEADER

5.0" High 20" Long 2.625" thickness



WAINSCOT CAP / SILL (Dressed)

Length: 20" Height: 3.0" (face) - 3.25" (back) Depth: 2.625"



PEAK WALL CAP (Dressed)

Length: 20" Height: 2.0" - 3.25" (at peak) Width: 12"



FLAT WALL CAP (Dressed)

Length: 20" Width: 12" 2.0" Thick



HEARTHSTONE (Dressed)

Length: 20" Width: 20" 2.0" Thick



COLUMN CAP (Dressed)

Length: 24" Width: 24" 2.0" Thick



W 2.



FLAMED TEXTURE

5 COLORWAYS

Creative Mines integral colors combine iron oxide pigments and polymers that bond to each Architectural Trim piece to remain steadfast.



WAINSCOT CAP / SILL (Flamed)

Length: 20"

Height: 2.875" (face) - 3.125" (back) Depth: 2.625"



FLAT WALL CAP (Flamed)

Length: 20" Width: 12" 2.0" Thick



HEARTHSTONE (Flamed)

Length: 20" Width: 20" 2.0" Thick



COLUMN CAP (Flamed)

Length: 24" Width: 24" 2.0" Thick











BLACKTEA BLUESTONE BURLAP

CLOUDCOVER

COVER SUGARSAND

ARCHITECTURAL TRIM

















TRIM STONE

Width: 6.0" Width: 8.0" (top) - 5.0" (bottom) Height: 8.0" Height: 10.25" 2.0" Thick 2.0" Thick

KEYSTONE

UTILITY TRIM (DOUBLE)

DOORBELL / HOSE BIB

UTILITY / WALL LIGHT Width: 5.0" Width: 8.0" Height: 10" Height: 5.0" 1.25" Thick 1.25" Thick 1.5" Opening 4.0" Opening

UTILITY TRIM (SINGLE)

Width: 8.0" Width: 8.0" Height: 8.0" Height: 9.0" 1.25" Thick 1.25" Thick 4.25" x 2.25" opening 4.25" x 4.25" opening

RIO GRANDE QUOIN

Height: 8.0" Long return: 16" Short return: 12" 1.5" Avg. thickness

ITALIAN QUOIN

Height: 9.0"-17.75" Short Return: 9.0" – 11" Long Return: 10.5" – 17.75" 1.5" Avg. Thickness

Our Keystone, Quoins, Trim and Utility Box components have a universal texture that complements both the Dressed and Flamed textures. Each are available in all 5 of the Dressed and Flamed texture colorways.

INDUSTRY TECHNICAL STANDARDS? WE'VE RAISED THE BAR AND SET NEW ONES.

TEST	ASTM STANDARD	REQUIREMENT	CREATIVE MINES
COMPRESSIVE STRENGTH	ASTM C39	Product strength must be greater than 1800 psi.	Exceeds requirement. Compressive Strength in excess of 3,800 psi.
COMPRESSIVE STRENGTH MORTAR	ASTM C109	Mortar used for Bond Strength Tests.	Exceeds requirement. Compressive Strength: Mortar in excess of 1,700 psi.
TENSILE STRENGTH	ASTM C190	The results for any one sample cannot vary by more than 10% from the average of all samples.	Exceeds requirement. Tensile Strength in excess of 250 psi.
FLEXURAL STRENGTH	ASTM C348	The results for any one sample cannot vary by more than 10% from the average of all samples.	Exceeds requirement. Flexural Strength in excess of 2.6 MPa.
SHEAR BOND STRENGTH	ASTM C482	The shear strength must be a minimum of 50 pounds per square inch.	Exceeds requirement. Shear Bond Strength: Mortar in excess of 65 psi for Type N mortar and in excess of 100 psi for high bond mortars.
WATER ABSORPTION	AC51 Section 4.6	Precast stone veneer units must comply with the water absorption requirements in Table 2 of AC51.	Meets requirement identified in Table 2 of AC51 for precast water absorption. <u>Absorption is less than 17.5%.</u>
FREEZE / THAW DURABILITY	ASTM C67	Test samples must not break or disintegrate and weight loss is limited to 3 percent of original weight after 50 Freeze / Thaw cycles.	Exceeds Freeze / Thaw Durability required for minimum weight loss. Zero (0%) disintegration and no visible cracks in stone.
WEIGHT	AC51 Section 4.1	The average saturated weight must not exceed 15 pounds per square foot.	Below threshold allowable average for saturated weight. Average saturated weight per unit is 10.6 lbs / ft.².

CREATIVE MINES CRAFT STONE VENEER IS SUBJECTED TO RIGOROUS TESTING TO ENSURE PRODUCT QUALITY. COLOR RETENTION: ONLY PERMANENT MINERAL OXIDE COLORS ARE USED TO ENSURE COLOR LONGEVITY.

INGREDIENTS:

Portland Cement ASTM C150 ASTM C979 Mineral Oxide Colors Light Weight Aggregate ASTM C33 / C330





DEALERS AND DISTRIBUTORS

Visit www.creativemines.us for a current list of Dealers and Distributors.

INSTALLATION INSTRUCTIONS

Visit www.creativemines.us for product installation instructions.

Creative Mines Craft Masonry Veneer is hand-designed and handcrafted. It looks like the real thing, so natural variations in color will occur. You should demand that of your crafted masonry veneer. Anything less would be unnatural. As always, request samples prior to ordering.

The product measurements listed are averages and individual product may vary in dimension and weight while maintaining accordance with ASTM specifications. For submittal information and test data please consult your Creative Mines Representative.

Creative Mines maintains the right to revise packaging and products inventoried.

© 2019 Creative Mines, Inc.

060719 DESIGN BY: STUDIOCONOVER.COM

